


DEMCO®

BUILT TO MOVE™



How does our
Tow Bar compare?
Scan to learn more



Doing Our Best to Provide You the Best
www.demco-products.com • 1.800.543.3626

Have your bed and tow it too



ALL NEW RECON STEALTH™*
Full bed access without lifting

Contact your Demco Rep or call
712-725-2311 for details.

Legal Notice: All trademarks are the property of their respective owners.
Registered trademarks are indicated with ®. Pre-production model shown.
* Patents Pending ** Hitch does not need to be removed from truck bed.

DEMCO®

BUILT TO MOVE™



RV PRODUCTS

Supplemental Braking Systems	4-5
Tow Bars	6-7
Baseplates	8
Tow Dollies.....	9
Tow Dolly Accessories.....	10
Towed Connectors	10-11
5th Wheel Hitches, OE adapters and accessories	12-16
5th Wheel Mounting Brackets List	17

Our Story

Back in 1950, Robert Dethmers started Dethmers Manufacturing Company in a corner of an implement dealership. One of his first products was fertilizer application equipment for the agricultural industry.

Since the beginning, Demco has pursued a dream to fill needs, provide solutions, and compete in an existing marketplace. Demco has product lines in agriculture, towing, 5th wheel hitches, trailer components, Rental Industry, and semi trailers. Demco has earned its place with the right combination of skill and technology needed to produce the best products available without compromise.

Today, as Demco continues to grow, our tradition of building quality products, employing talented, industrious people and providing attentive service remains. Our sales staff, along with our dealers and distributors across the United States, Canada and the world, carry on the standard.

We enjoy long-term relationships with our clients and look forward to this continuum with our new clients.

BRAKING SYSTEMS FOR TOWED VEHICLES

MFG	SYSTEM	5 YR WARRANTY	DUAL SIGNAL	PROPORTIONAL BRAKING	INSTALLED	PORTABLE
Demco	AFO	✓		✓	✓	
Demco	SIP DUO	✓	✓		✓	

**STOP YOUR COACH
FASTER!**

**RESULTS FROM
60 MPH ***

No Demco System

250-280 Feet

With Demco Systems

170-205 Feet

*Approximate distances. Actual stopping distances will vary.

ACCIDENT ZONE



AFO with Wireless Coachlink 9599019
 Air Force One Braking System 9599007
 Air Force One, Second Car Kit* 6271
 AFO Reinstall Kit 6217
 AFO Kit for Freightliner Company Custom Chassis 9599020
 AFO Kit for Tiffin 9599021
 Spartan Kit *Contact your Spartan Chassis Dealer*



US Patent 7,699,406



Integrated System



Zero Setup time to tow



Fully transferable to new vehicle



100% Proportional braking

WHY AIR FORCE ONE

- Engineered for diesel RVs with air brakes
- Demco-exclusive integrated breakaway system
- Meets chassis warranty & Federal D.O.T. / FMVSS requirements
- Patented actuator helps your RV and towed vehicle brake as one



DUO with Wireless Coachlink 9599018
 Stay in Play Duo Braking System 9599006
 DUO Reinstall Kit 6270



US Patent 6,644,761



Integrated System



Zero Setup time to tow



Fully transferable to new vehicle

WHY STAY-IN-PLAY DUO

- Engineered for gas RVs with hydraulic brakes
- Demco-exclusive integrated breakaway system
- Unique dual-signal activation
- G-Force controller lets you adjust braking power
- Patented actuator helps your RV and towed vehicle brake as one

#1 IN TOWED VEHICLE BRAKING

UNMATCHED

smooth and reliable braking!



Scan the QR code using your phone's camera

SUPPLEMENTAL BRAKING SYSTEM ACCESSORIES

PART DESCRIPTION	PART #	PART DESCRIPTION	PART #
Smart Car Bracket	6227	Coach Air Kit	6231
For DUO and AFO		Battery Disconnect Switch	6338
Vacuum Tee Kit	6257	Braking System Air Tester	6339
For DUO and AFO		12V Power Outlet	6342
Standard AFO Coiled Airline	6212	Battery Charge Wire Kit	6252
Spartan Specific Coil Airline	6296	AFO Quick Disconnect Kit	6229
Freightliner Custom Chassis Specific Coil Air Jumper	6376	AFO Male Plug	6230
AFO Freightliner Custom Chassis Specific Towed Vehicle Kit	9599020	AFO Female Quick Disconnect Fitting	16121
AFO Tiffin Towed Vehicle Kit	9599021	Air Cylinder Cable Repair Kit	6337
AFO Air Pressure Stop Switch	6232	Brake Light Over-Ride Relay	6414
Replacement AFO Air Cylinder	6210	USB - 12 Volt Adapter	17502
AFO - DUO Conversion Kit	6218	Air Pressure Regulator	6492
DUO - AFO Conversion Kit	6220	AFO Cover Kit	6462
Second Car Kit	6271		

WIRELESS COACHLINK™

Universal for all Braking Systems

- Plugs into coach power port
- Instant visual feedback that brakes are applied
- Transmits signal from towed-vehicle

- Positive "Brakes on" light
- Audible tone indication lets you know your braking system is working flawlessly

Wireless Radio Set

9599005



YOU ASKED WE LISTENED

Now order with or without
Wireless Coach notification!

AIR FORCE ONE & STAY-IN-PLAY DUO



**WIRELESS
COACH NOTIFICATION
INCLUDED**

VICTORY SERIES TOW BARS

**TRULY
Non-Binding!**

**Patented Easy Trigger Release,
providing virtually flawless hookup
and disconnect**

Patent # 6502847, 6612604, 6764092, 7837216

DEMCO DOMINATOR™



LIGHTWEIGHT

9511008 - Dominator™

Weighs: 30 lbs.
Tows: 7,500 lbs.

DEMCO COMMANDER™ 2



ECONOMICAL

9511012 - Commander 2™

Weighs: 41 lbs.
Tows: 6,000 lbs.

DEMCO EXCALI-BAR™ 3



HEAVY DUTY

9511013 - Excali-Bar 3™

Weighs: 46 lbs.
Tows: 10,500 lbs.



Self-supporting
arms



Safety cables
included



Easy trigger
release



Rise or drop
male receiver



Adjustable
towing angle



TOW BAR ACCESSORIES

WIRELESS LED LIGHTBAR

No wires. No cutting. No splicing


6343



SENTRY DEFLECTOR™



Strong but
lightweight
and flexible



Deflect debris
away from
vehicle



Easy to install
and remove

Tow Bars - 9523135

Tow Dollies - 5950

TOW BAR ACCESSORIES

PART DESCRIPTION	PART #	PART DESCRIPTION	PART #
TOWING COMBO KITS:		SAFETY CABLES:	
Diode System Combo Kit	9523057	54" Straight Safety Cables *	9523051
Kit includes: 6 Way Coiled Lighting Cable, Diode Wiring Kit, Marine Grade, Vinyl Demco Storage Cover, Three Pin Locking Kit, 7 to 6 Way Adapter		64" Straight Safety Cables *	9523055
WIRING KITS:		86" Coiled Safety Cables *	9523003
Towed Vehicle Taillight Wiring/ Diode Kit	9523010	12" Safety Cable Extensions *	9523064
7 to 6 RV Adapter	9523053	18" Safety Cable Extensions *	9523065
Diode Kit (4 Diodes)	9523063	LOCKING PINS:	
FLEX-COILED WIRING CABLES:		5/8" Locking Hitch Pin	9523066
4 Way Coiled Lighting Cable	9523004	Two Locking Baseplate Pins **	9523067
6 Way Coiled Lighting Cable	9523006	Three Pin Locking Kit	9523068
7 to 6 Way Coiled Lighting Cable	9523054	Two Quick Pins *	9523045
7 to 4 Way Coiled Lighting Cable	9523069	Two Standard Pins w/ Quick Pins *	9523046
SENTRY DEFLECTOR ADAPTERS:		ACCESSORIES:	
For Stowmaster™, Blue Ox™ RV mounted tow bars to Roadmaster™ base plate	9523027	3 1/2" Receiver Extension	9523052
For Blue Ox base plate	9523061	4" Drop/Raise Receiver for Victory Series Tow Bars	9523059
		6" Drop/Raise Receiver for Victory Series Tow Bars	9523060
		Tow Bar Storage Cover	9523042
		Pull Ear Covers *	5899
		Tabless Covers	6455

* Sold per pair

** All keyed alike

TABLESS & CLASSIC BASEPLATES



Exclusively from Demco – TABLESS BASEPLATES



Neat, clean
Look



Secure, reliable
attachment to
chassis



Easy hook-up
and disconnect



Available for most current models of tow cars
FOR FIT LIST AND AVAILABILITY
SCAN THIS QR CODE or go to
<https://bit.ly/3rw1KCB>

CLASSIC STYLE BASEPLATE ADAPTERS

** Adapts Demco tow bars to other manufacturers' baseplates*


PART DESCRIPTION	
Roadmaster Baseplates including XL or EZ 2, EZ 4 Series	9523001
Duncan Baseplate	9523017
Reese® Tow Champ & Valley Ind. Utility Tow Bar, Bumper Brackets	9523019
Roadmaster MS, MX, and EZ 5 Series Baseplates	9523032
Blue Ox Baseplates	9523041

CLASSIC STYLE BASEPLATE ADAPTERS

** Adapts Demco baseplates to other manufacturers' tow bars*

	PART #
Roadmaster Eagle™ & Eagle 8000™	9523014
Valley Ind. Utility Tow Bar & Reese® Tow Champ	9523015
Roadmaster Falcon 5250	9523023
Blue Ox® Aladden®, Aventa® II, Aventa® LX and Lexus	9523034
Roadmaster Tracker, Falcon 2, Falcon All Terrain, Blackhawk and Blackhawk All Terrain™ and Sterling™ tow bars with serial numbers up to 14,500	9523036
Roadmaster Sterling All Terrain™ & Sterling Tow Bars with Serial #'s above 14,501	9523062

TOW DOLLIES



DEMCO KARKADDY^{SS}

9713045

Fully extended: 133 inches long
Folded: 67 inches long
Total towed vehicle weight: 4,800 lbs.
Axle capacity: 3,500 lbs.
Towed vehicle tread width: 42" min., 76" max.
Galvanized finish

DEMCO KARKADDY^X

9713093

Fits low profile vehicles
Towed vehicle tread width: 42" min., 78" max.
Total towed vehicle weight: 4,800 lbs.
King pin design swivel platform
Black powder coat paint finish with hot dipped galvanized components



Watch this Video
on the KarKaddy X:



on Sealed
bearing hubs



EZ Latch
Coupler




Radial tires
dual safety
chains



Hydraulic surge
disc brakes




Low loading
clearance



Unfolded Kar Kaddy™ SS length is 133"

Many RV park lots are not deep enough to accommodate your motorhome and tow dolly.



Folded Kar Kaddy™ SS length is 67"

By using only half the space, you can fit both the motorhome and tow dolly comfortably in almost any RV lot. Or you can store your tow dolly in front of your car in your garage at home.

TOW DOLLY ACCESSORIES

Sentry Deflector



5950

Spare Tire Mount (black)



RKSTM

Spare Tire w/Chrome Rim



5968

Spare Tire w/Black Rim



6845

Spare Tire w/White Rim



5965

Wheel Jack



11683

Wireless Light Bar



6343

Steering Wheel Strap



5975

Loading Winch w/Strap Assembly



KK2W

Tow Dolly Straps



Standard (shipped on dolly) - 03528

Small - 03528-81

Large - 03528-93

TOWED CONNECTORS FOR DINGHY TOWING



No Slicing. No Mistakes.

The Industry's Best Direct Plug-in Electrical Hook-Up for Your Towed Vehicle




1. Remove the rear taillights and locate the factory wiring harness at the back of each taillight housing and unplug it



2. Shown is the T-type connectors in the Demco Towed Connector Harness



3. Connect the vehicle factory wiring harness to one end of the Demco Towed Connector T



4. Plug the other side of the Demco Towed Connector T into the back of the taillight housing



5. Re-install the vehicle taillight and route the rest of the harness up to the front of the vehicle

WHAT'S INCLUDED

Zip Ties

Rear Taillight connecting T's

Wire provided to run from the back of the vehicle to the front of the towed vehicle

Jumper Wire from the coach to the towed vehicle

TOWED CONNECTOR
FIT LIST



21K, 31K HITCHES AND OE ADAPTERS



21K UMS SERIES (UNDER BED MOUNT, FORD PREP & GMC PREP)

- 21K towing capacity
- Long box application
- Four vertical height adjustments 16" to 19"

8550032 – UMS Series

- Frame mounting brackets must be ordered separately

8550033 – Ford 2011-Present Prep Package

8550050 – Chevy/GMC 2020-Present Prep Package



31K UMS SERIES (UNDER BED MOUNT FOR CHEVROLET/GMC PREP, FORD PREP, AND RAM PREP)

- 31K towing capacity
- Long box application
- Four vertical height adjustments 16" to 19"
- Wrap Around Jaw with locking bar for a smoother, safer and more secure ride

8550054 – Ford 2011-Present Factory Prep Install

8550055 – Chevy/GMC 2016-2019 Factory Prep Install

8550056 – Chevy/GMC 2020-Present Factory Prep Install

8550057 – Ram 2013-Present Factory Prep Install

AUTOSLIDE 13K, 18K, AND 21K 5TH WHEEL HITCHES



13K Above Bed Mount
Industry Standard Bed Rails Included



8550047

13K Above Bed Mount
Bed Rails NOT Included



8550048

13K Under Bed Mount (UMS)



8550049

- **No locking plate required** for standard pin boxes to activate slide mechanism
- **Wrap around jaw** with locking bar for a smoother, safer and more secure ride
- **22 1/2 INCHES** of travel to help get in and out of those tight spots

- Up to 2 3/4" side-to-side travel to keep your pinbox from hitting bed rails or Tonneau-cover rails
- Industry standard bed rail mounting
 - * *Frame Mounting Brackets must be ordered separately*
 - * *Certain pin boxes require a locking plate. See Locing Plate list on page 13.*

- Adjustable thread shank design to make locking plates more secure in selected position
- Narrowed king pin entry ensures the king pin is centered in the jaws for easier hook up!
- **Maintenance free guide roller** – Lubrication infused bushing
- Teflon wear plates are now wider with beveled edges for smoother turning and transition.

PART DESCRIPTION	PART #
13K Above Mount <i>Industry Standard Bed Rails Included</i>	8550047
13K Above Bed Mount <i>Bed Rails NOT Included</i>	8550048
13K Under <i>Bed Mount (UMS)</i>	8550049

AUTOSLIDE 13K, 18K, AND 21K 5TH WHEEL HITCHES

18K & 21K ABOVE BED MOUNT



PART DESCRIPTION	PART #
18K Above Bed Mount <i>Industry Standard Bed Rails Included</i>	8550023
18K Above Bed Mount <i>Bed Rails NOT Included</i>	8550034
21K Above Bed Mount <i>Industry Standard Bed Rails Included</i>	8550036
21K Above Bed Mount <i>Bed Rails NOT Included</i>	8550035

Locking Plates

For use with Autoslide in conjunction with a Pin Box listed below

PART DESCRIPTION	PART #
Lippert Rhino Pin Box	6479
Trailair Tri Glide	6095
Trailair Rota Flex & Trailair Flexair	6171
MOR/Ryde Pin Box	6025
5th Airborn Standard Pin Box	6026
5th Airborn Extended Pin Box	6062
Demco Glide Ride Pin Box	6036
Helix	6484
Gen-Y	6846
For Lippert Turning Point, New 5th Airborne Pinbox, and Gen Y Pin Box	6285

18K & 21K UNDER BED MOUNT (UMS)



PART DESCRIPTION	PART #
18K Under Bed Mount (UMS)	8550022
21K Under Bed Mount (UMS)	8550037



Autoslide Information:

- Fits industry standard rails
 - Low profile design
 - Easy access for routine maintenance
 - See 5th Wheel Accessory page for OE prep fits
 - 3 vertical height adjustments to help you level truck and trailer
- * *Frame Mounting Brackets must be ordered separately*
- * *Certain pin boxes require a locking plate. See the list to the left.*

18K & 21K OE FACTORY PREP MOUNTS



PART DESCRIPTION	PART #
18K Under Bed Mount (UMS) <i>Ford Prep Package</i>	8550024
18K Under Bed Mount (UMS) <i>Ram Prep Package</i>	8550060
18K Under Bed Mount (UMS) <i>Chevy/GMC Prep Package 2020+</i>	8550061
21K Under Bed Mount (UMS) <i>Ford Prep Package</i>	8550038
21K Under Bed Mount (UMS) <i>Ram Prep Package</i>	8550062
21K Under Bed Mount (UMS) <i>Chevy/GMC Prep Package 2020+</i>	8550063

- **No locking plate required** for standard pin boxes to activate slide mechanism
- **Wrap around jaw** with locking bar for a smoother, safer and more secure ride
- Slides utilizing rack and pinion gear technology
- Up to 14" of travel to help get in and out of those tight spots



RECON 5TH WHEEL HITCH



DEMCO
RECON



Easy install
and removal



Light
weight



Recon for bed rails



Recon for Gooseball



Recon for Recessed Gooseball

No additional adapter plates or cables needed to install on a king pin

- Four applications: Stationary and Manual Slider for Industry Standard bed rails, Gooseball mount & Recessed Gooseball mount
- Gooseball mount fits any standard 2⁵/₁₆" Gooseneck ball
- Flat deck applications with Recessed Gooseneck ball
- Wrap around jaw with lock bar for stronger, more secure, safer towing experience
- Dual articulation head for easy hookup and release on uneven terrain
- 3 height adjustments for 8550043 & 8550044: 15¹/₂" to 18" (top of rails)
- 3 height adjustments for 8550045: 16¹/₂" to 19"
- 3 height adjustments for 8550046: 12" to 14¹/₂"
- 21,000 towing capacity


PART DESCRIPTION	PART #
ISR Mount (rails not included)	8550043
ISR Mount (rails included)	8550044
2 ⁵ / ₁₆ Goose Ball Mount	8550045
Flat Deck (recessed 2 ⁵ / ₁₆ Goose Ball Mount)	8550046




Recon Anti-Scratch Kit
Neoprene Rubber Mounts
6849

RECON MANUAL SLIDER

You asked and we listened! Continuing in the tradition of the Recon series, the Recon Slider is a lighter weight version of traditional manual sliders. With up to 14" of travel and the ability to easily remove the hitch from the truck, the Recon Slider sets a new bar within the 5th wheel hitch market. Utilizing copolymer, self-lubricating bushings to make for smooth slide movement you will enjoy years of operational enjoyment! The Recon Slider can be ordered with Industry standard bed rails or without. For trucks with a puck system, pair with one of Demco's industry leading OE puck adapters (see inside back cover). **Made in the USA!**



PART DESCRIPTION	PART #
Recon Slider (rails not included)	8550070
Recon Slider (rails included)	8550071



21K RECON SLIDER FOR FACTORY 5TH WHEEL PREP SYSTEMS (PUCKS)

Changing Truck Brands?

Take your Recon Slider with you. We have interchangeable mounting plates for the applications below.

Demco UMS	6436
Ford Factory 5th Wheel Prep	6437
Ram Factory 5th Wheel Prep	6438
Chevy/GMC Factory 5th Wheel Prep	6439
Industry Standard Rails	6463

- 3 Height Adjustments for 8550068: 19 5/8, 20 7/8, 22 1/8
- 3 Height Adjustments for 8550065, 8550066, 8550067: 18 3/8, 19 5/8, 20 7/8

PART DESCRIPTION	PART #
2020-Present Chevrolet/GMC 2500 & 3500	8550068
2011-Present Ford F250/F350	8550066
2013-Present Ram 2500/3500	8550067
Demco Underbed Mounting Series (UMS)	8550065

5TH WHEEL HITCH ACCESSORIES

PART DESCRIPTION	PART #	PART DESCRIPTION	PART #
Gooseneck Adapters		5th Wheel Wiring Harness	
Premier/Ultra Series 25K Gooseneck	5996	10'	8555002
UMS Gooseneck	5988	Vinyl Cover	
Bed Rail Kits		5th Wheel Cover	14844
SL Series Bed Rail Kit	6012	Recon Anti-Scratch Kit	
Premier Series Bed Rail Kit (fits industry standard rails)	6071	Neoprene Rubber Mounts	6849

RECON STEALTH

**THE FIRST
FOLDING
HITCH!**

RECON STEALTH

8550072



Simply unfold and assemble
the new Recon Stealth Hitch.
The first folding hitch!



Remove the Recon
head and upright
from the folding
base for easy storage



Use Demco's Molle
System to store the
folding hitch in your
truck or store it on a
shelf in your garage

MOLLE RACK	PART DESCRIPTION	PART #
	Molle Rack with Hitch Mounts	8554004
	For Ford F-250/350 2017-2026	8554001
	For Chevy & GMC 2500/3500 2020-2026	8554002
	For Ram 2500/3500 2019-2026	8554003
	Hitch Mounts only	6528

Strong when you need it, hidden when you don't


THE LEADER IN OE ADAPTERS!

B&W

6140

Converts the B&W ball mount to a 21K ISR rail system. Adjustable for bed liners

**Not for use with automatic sliding hitches*



Ram 5th Wheel Prep Bracket

2500: 2014-Present

3500: 2013-Present

6099

25K rated industry standard rail system for installed 5th Wheel Prep Hitch Package



Nissan 5th Wheel Adapter

Titan XD: 2016-Present

6200

21K rated industry standard rail system for installed 5th wheel prep hitch package



Ford 5th Wheel Prep Bracket

F250 & F350: 2011-Present

6175

25K rated industry standard rail system for installed 5th wheel prep hitch package



Chevrolet/ GMC 5th Wheel Prep Brackets

2500 & 3500: 2020-Present

6333 for 6.5' & 8' Bed

2500 & 3500: 2016-2019

6206 for 8' Bed

6194 for 6.5' Bed

21K rated industry standard rail system for installed 5th wheel prep hitch package




5TH WHEEL FRAME MOUNTING BRACKET KITS

VEHICLE	YEAR	UMS SERIES UNDER BED MOUNT	PREMIER SERIES	SL SERIES
FORD				
F150 (5 ½', 6 ½' & 8' Boxes)	2021-2026	N/A	8552028	8552021
F150 HYBRID	2021-2023	N/A	8552039	N/A
F150 (5 ½', 6 ½' & 8' Boxes)	2015-2020	N/A	8552028	8553015
F150 (5 ½', 6 ½' & 8' Boxes)	2004-2014	8551001	8552003 or 8552004	8553002
F150 (6 ½' & 8' Boxes)	1997-2003	N/A	8552009	8553004
F250/350 "Super Duty" (6 ½' & 8' Boxes)	2023-2024	N/A	8551013	8552040
F250/350 "Super Duty" (6 ½' & 8' Boxes)	2017-2022	8551009	8552031	8553017
F250/350 "Super Duty" (6 ½' & 8' Boxes)	2011-2016	8551000	8552000	8553000
F250/350 "Super Duty"	2005-2010	8551000	8552001 or 8552002	8553001
F250/350 "Super Duty" (6 ½' & 8' Boxes)	1999-2004	8551000	8552006	8553003
F250 "Light Duty" (6 ½' & 8' Boxes)	1997-2003	N/A	8552009	8553004
F450 "Super Duty"	2017-2021	8551009	8552031	8553017
F450 "Super Duty"	2011-2016	8551000	8552000	8553000
F450 "Super Duty"	2008-2010	8551000	8552001 or 8552002	8553001
F450 "Super Duty"	2023	N/A	8551013	8552040
F450/550 "Chassis Cab"	2000-2007	N/A	8552005	Not recommended
CHEVROLET/GMC				
Silverado & Sierra 1500 Crew Cab 5 1/2', 6 1/2'	2019-2026	8551011	8552034	8553019
Silverado & Sierra 1500 Crew Cab 8'	2019-2026	N/A	8552034	8553019
Silverado 1500 LD & GMC Sierra Limited Double Cab 6-1/2' Bed	2019-2020	8551008	8552027	8553014
Silverado & Sierra 1500 (5 1/2', 6 ½' & 8' Bed) Regular, Double, and Crew Cab	2014-2018	8551008	8552027	8553014
Silverado & Sierra 1500 (6 ½' and 8' Box) (tube frame)	2007-2013	8551005	8552009 or 8552013	8553004
Silverado & Sierra 1500 (5 ½' Box)	2007-2013	8551008	8552009 or 8552013	8553004
Silverado & Sierra 1500 (6 ½' & 8' Boxes)	1999-2007	8551004	8552009	8553004
Silverado/Sierra 1500 HD (6 ½' & 8' Boxes)	2001-2007	8551004	8552009	8553004
Silverado/Sierra 1500 (5 ½' Box)	2004-2006	8551008	8552009	8553004
Silverado/Sierra 2500 & 3500 HD (6 ½' box)	2020-2026	8551012	8552037	8553020
Silverado/Sierra 2500 & 3500 HD (8' box)	2020-2026	8551012	8552038	8553020
Silverado/Sierra 2500 & 3500 HD (6 ½' & 8' box)	2011-2019	8551010	8552011	8553007
Silverado/Sierra 2500 & 3500 HD (6 ½' & 8' Boxes) (Includes New Body Style)	2001-2010	8551004	8552009 or 8552012	8553004
Silverado & Sierra 2500 (6 ½' & 8' Boxes)	1999-2007	8551004	8552009	8553004
Silverado/Sierra 3500 (6 ½' and 8' Box)	1988-2001	N/A	8552009	8553009
DODGE				
Ram 1500 (5 ½', 6 ½' & 8' Boxes) No Air Suspension Includes Diesel	2019-2026	N/A	8552032	8553018
Ram 1500 Classic (5 ½', 6 ½' & 8' Boxes) No Air Suspension Includes Diesel	2019-2023	N/A	8552030	8553010
Ram 1500 (5 ½', 6 ½' & 8' Boxes) No Air Suspension Includes Diesel	2009-2018	N/A	8552030	8553010
Ram 1500 (4x2 & 4x4)(6 ½' & 8' Boxes)(Includes Mega Cab)	2002-2008	8551005	8552015 or 8552016	8553004
Ram 1500	1994-2001	N/A	8552009	8553003
Ram 2500 (4x2 & 4x4)(6 ½' & 8' Boxes) (Includes Mega Cab) (Includes Auto Level Rear Air Suspension)	2014-2026	N/A	8552025	8553016
Ram 2500 (4x2 & 4x4)(6 ½' & 8' Boxes) (Includes Mega Cab)	2013	8551005	8552015 or 8552023	8553004
Ram 2500 (4x2 & 4x4)(6 ½' & 8' Boxes) (Includes Mega Cab)	2003-2012	8551005	8552015 or 8552016	8553004
Ram 2500 (6 ½' & 8' Boxes)	1994-2002	N/A	8552009	8553003
Ram 3500 (4x2 & 4x4)(6 ½' & 8' Boxes) (Includes Mega Cab)	2019-2026	8551006*	8552036	8553013*
Ram 3500 (4x2 & 4x4)(6 ½' & 8' Boxes) (Includes Mega Cab)	2013-2018	8551006*	8552026	8553013*
Ram 3500 (4x4 only)(6 ½' & 8' Boxes) (Includes Mega Cab)	2003-2012	8551005	8552015 or 8552016	8553004
Ram 3500 (4x2 only)(6 ½' & 8' Boxes) (Includes Mega Cab)	2003-2012	8551005	8552017	8553004
Ram 3500 (6 ½' & 8' Boxes)	1994-2002	N/A	8552009	8553003
Dakota (6 ½' Box)	2005	N/A	8552019	8553003
Dakota (6 ½' Box)	2003-2004	N/A	8552005	8553003
Dakota	2002 & earlier	N/A	8552009	8553003
TOYOTA				
Tundra (5 ½', 6 ½' & 8' Boxes)	2007-2021	N/A	8552020	N/A
Tundra (6 ½' & 8' Boxes)	2001-2006	N/A	8552009	Not recommended
NISSAN				
Titan (5 ½', 6 ½', 7' & 8' Boxes)	2017-2021	N/A	8552033	N/A
Titan (6 ½', 7' & 8' Boxes)	2004-2015	N/A	8552021	N/A


Check www.demco-products.com for latest updates

*Not with "Auto Level Rear Air Suspension" option

NO DRILL ATTACHMENT INDICATED IN RED




RV Products Sales Territory Managers



Brad Vander Pol



Archie Ionnades



Jeremy Drebenstedt



Jeff Johnson

- **Brad Vander Pol** || Northern United States Territory Manager || brad.vanderpol@demco-products.com
- **Archie Ionnades** || Western United States Territory Manager || archie.ionnades@demco-products.com
- **Jeremy Drebenstedt** || Eastern United States Territory Manager || jeremy.drebenstedt@demco-products.com
- **Jeff Johnson** || South Central United States Territory Manager || jeff.johnson@demco-products.com



Boyden

4010 320th Street
Boyden, IA 51234
Ph. 800.543.3626

Spencer

1300 38th Ave W.
Spencer, IA 51301
Ph. 800.543.3626

www.demco-products.com • 800-543-3626

www.demco-products.com

DEMCO is a registered trademark of Dethmers Manufacturing Company

